


DARK MULTI SMOOTH 73MM



DARK MULTI SMOOTH 73MM



Manufactured to BS EN 771-1

Brick type Category II, U, Clay Masonry Unit

Standard work size 215 x 102.5 x 73mm

Dimensional tolerances Tolerance category: T2 Range category: R1

 $\begin{array}{l} \text{Compressive strength} \\ \geq 75 \text{N/mm}^2 \end{array}$

Water absorption $\leq 7\%$

Durability F2

Active soluble salts content S2

Configuration Vertically Perforated 15-25% Voids

Dry weight per brick 2.80kg

Pack size 464

Factory Wilnecote

SWILDMS1700VO



BUTTERLEY

 $\textbf{f} \textcircled{\baselinetwidth} \textbf{b} \textcircled{\baselinetwidth} \textbf{c} \end{array}{\baselinetwidth} \textbf{c} \textcircled{\baselinetwidth} \textbf{c} \textcircled{\baselinetwidth} \textbf{c} \textcircled{\baselinetwidth} \textbf{c} \end{array}{\baselinetwidth} \textbf{c} \textcircled{\baselinetwidth} \textbf{c} \end{array}{\baselinetwidth} \textbf{c} \textcircled{\baselinetwidth} \textbf{c} \end{array}{\baselinetwidth} \textbf{c} \textcircled{\baselinetwidth} \textbf{c} \end{array}{\baselinetwidth} \textbf{c} \end{array} \baselinetwidth} \textbf{c}$

forterra.co.uk

Sales +44 (0) 330 1231017 **Technical** +44 (0) 330 1231018 **Email** bricks@forterra.co.uk Disclaimer: The reproduction of colours and textures is only as accurate as the printing process will allow. Photographic samples should be used when shortlisting products but we advise that an actual sample should be seen before ordering.



Responsible Sourcing www.greenbooklive.com